

DUAL ROW CRIMP TERMINAL HOUSING




2642 SERIE 2.54 x 2.54 mm. (0.100 X 0.100").

Features

- Available in 6 through 72 circuits
- Insulator material: P.B.T. UL94V-0
- Mates with terminal 2870 serie
- Completely polarised
- Mates with dual row male flat cable 2.54 x 2.54 mm. With or without extractors
- Connections of wirings with loose thread to flat cable male connector.

Dimensional information:



Ordering and dimensional information:

Circuit Size	Part Number	Dimensions	
		A	B
06	2642-2061	5,08(0,200)	12,22 (0.638)
08	2642-2081	7,62(0,300)	14,76 (0.581)
10	2642-2101	10,16(0,400)	17,30 (0.681)
12	2642-2121	12,70(0,500)	19,84 (0.781)
14	2642-2141	15,24(0,600)	22,38 (0.881)
16	2642-2161	17,78(0,700)	24,92 (0.981)
18	2642-2181	20,32(0,800)	27,46 (1.081)
20	2642-2201	22,86(0,900)	30,00 (1.181)
22	2642-2221	25,40(1,000)	32,54 (1.281)
24	2642-2241	27,94(1,100)	35,08 (1.381)
26	2642-2261	30,48(1,200)	37,62 (1.481)
28	2642-2281	33,02(1,300)	40,16 (1.581)
30	2642-2301	35,56(1,400)	42,70 (1.681)
32	2642-2321	38,10(1,500)	45,24 (1.781)
34	2642-2341	40,64(1,600)	47,78 (1.881)
36	2642-2361	43,18(1,700)	50,32 (1.981)
38	2642-2381	45,72(1,800)	52,86 (2.081)
40	2642-2401	48,26(1,900)	55,40 (2.181)
42	2642-2421	50,80(2,000)	57,94 (2.281)
44	2642-2441	53,34(2,100)	60,48 (2.381)
46	2642-2461	55,88(2,200)	63,02 (2.481)
48	2642-2481	58,42(2,300)	65,56 (2.581)
50	2642-2501	60,96(2,400)	68,10 (2.681)
52	2642-2521	63,50(2,500)	70,64 (2.781)
54	2642-2541	66,04(2,600)	73,18 (2.881)
56	2642-2561	68,58(2,700)	75,72 (2.981)
58	2642-2581	71,12(2,800)	78,26 (3.081)
60	2642-2601	73,66(2,900)	80,80 (3.181)
62	2642-2621	76,20(3,000)	83,34 (3.281)
64	2642-2641	78,74(3,100)	85,88 (3.381)
66	2642-2661	81,28(3,200)	88,42 (3.481)
68	2642-2681	83,82(3,300)	90,96 (3.581)
70	2642-2701	86,36(3,400)	93,50 (3.681)
72	2642-2721	88,90(3,500)	96,04 (3.781)

